

SSSSSSSS	TTTTTTTT	000000	PPPPPPPP	RRRRRRRR	EEEEEEEEEE	MM	MM
SSSSSSSS	TTTTTTTT	000000	PPPPPPPP	RRRRRRRR	EEEEEEEEEE	MM	MM
SS	TT	00	PP	RR	EE	MMM	MMM
SS	TT	00	PP	RR	EE	MMM	MMM
SS	TT	00	PP	RR	EE	MM	MM
SS	TT	00	PP	RR	EE	MM	MM
SSSSSS	TT	00	PPPPPPPP	RRRRRRRR	EEEEEEEEEE	MM	MM
SSSSSS	TT	00	PPPPPPPP	RRRRRRRR	EEEEEEEEEE	MM	MM
SS	TT	00	PP	RR	EE	MM	MM
SS	TT	00	PP	RR	EE	MM	MM
SS	TT	00	PP	RR	EE	MM	MM
SS	TT	00	PP	RR	EE	MM	MM
SSSSSSSS	TT	000000	PP	RR	EEEEEEEEEE	MM	MM
SSSSSSSS	TT	000000	PP	RR	EEEEEEEEEE	MM	MM

MM	MM	AAAAAA	PPPPPPPP
MM	MM	AAAAAA	PPPPPPPP
MMM	MMM	AA	PP
MMM	MMM	AA	PP
MM	MM	AA	PP
MM	MM	AA	PP
MM	MM	AA	PPPPPPPP
MM	MM	AA	PPPPPPPP
MM	MM	AAAAAAAAAA	PP
MM	MM	AAAAAAAAAA	PP
MM	MM	AA	PP
MM	MM	AA	PP
MM	MM	AA	PP
MM	MM	AA	PP

+-----+
! Object Module Synopsis !
+-----+

Module Name	Ident	Bytes	File	Creation Date	Creator
STOPREM	V04-000	121	-\$255\$DUA28:[REM.OBJ]REM.OLB;1	16-SEP-1984 02:14	VAX/VMS Macro V04-00
SYS	V04-000	0	-\$255\$DUA28:[SYSOBJ]SYS.STB;1	16-SEP-1984 04:00	VAX-11 Linker V04-00
SYS\$SSDEF	V04-000	0	-\$255\$DUA28:[SYSLIB]STARLET.OLB;2	16-SEP-1984 01:18	VAX/VMS Macro V04-00
SYS\$P1_VECTOR	V04-000	0	-\$255\$DUA28:[SYSLIB]STARLET.OLB;2	16-SEP-1984 00:40	VAX/VMS Macro V04-00

+-----+
! Image Section Synopsis !
+-----+

Cluster	Type	Pages	Base Addr	Disk VBN	PFC	Protection and Paging	Global Sec. Name	Match	Majorid	Minorid
DEFAULT_CLUSTER	0	1	00000200		2	0 READ ONLY				
	0	1	00000400		3	0 READ WRITE COPY ON REF				
	0	1	00000600		4	0 READ WRITE FIXUP VECTORS				
	253	20	7FFFD800		0	0 READ WRITE DEMAND ZERO				

Key for special characters above:

+-----+
: R - Relocatable :
: P - Protected :
+-----+

! Program Section Synopsis !

Psect Name	Module Name	Base	End	Length	Align	Attributes
INSTR	STOPREM	00000200	00000270	00000071 (113.) BYTE 0	NOPIC,USR,CON,REL,LCL,NOSHR, EXE, RD,NOWRT,NOVEC
		00000200	00000270	00000071 (113.) BYTE 0	
OWN	STOPREM	00000400	00000407	00000008 (8.) BYTE 0	NOPIC,USR,CON,REL,LCL,NOSHR, EXE, RD, WRT,NOVEC
		00000400	00000407	00000008 (8.) BYTE 0	

! Symbols By Value !

Value

Symbols...

00000200	R-STOP_REMACP
00000271	R-STOP_REMACP_END
000008E8	SS\$ NONEXPR
48513258	SYSSK VERSION
7FFEDE90	SYSSCMKRN
7FFEDFA0	SYSSLKWSET
800021F8	SCH\$GL_CURPCB
80002AC8	IOC\$GL_AQBLIST
8000A60D	SCH\$WARE
8000ADF7	SCH\$IOLOCKW
8000AE85	SCH\$IOUNLOCK

Key for special characters above:

*	- Undefined
U	- Universal
R	- Relocatable
X	- External

! Image Synopsis !

Virtual memory allocated: 00000200 000007FF 00000600 (1536. bytes, 3. pages)
 Stack size: 20. pages
 Image header virtual block limits: 1. (1. block)
 Image binary virtual block limits: 2. (3. blocks)
 Image name and identification: STOPREM V04-000
 Number of files: 5.
 Number of modules: 4.
 Number of program sections: 6.
 Number of global symbols: 10.
 Number of cross references: 19.
 Number of image sections: 4.
 User transfer address: 00000200
 Image type: EXECUTABLE.
 Map format: FULL WITH CROSS REFERENCE in file _\$255\$DUA28:[REM.LIS]STOPREM.MAP;1
 Estimated map length: 20. blocks

! Link Run Statistics !

Performance Indicators	Page Faults	CPU Time	Elapsed Time
Command processing:	83	00:00:00.16	00:00:00.38
Pass 1:	98	00:00:00.99	00:00:11.45
Allocation/Relocation:	22	00:00:00.09	00:00:01.70
Pass 2:	29	00:00:00.19	00:00:04.35
Map data after object module synopsis:	10	00:00:00.11	00:00:00.12
Symbol table output:	1	00:00:00.04	00:00:00.58
Total run values:	243	00:00:01.58	00:00:18.58

Using a working set limited to 900 pages and 35 pages of data storage (excluding image)

Total number object records read (both passes): 260
 of which 72 were in libraries and 2 were DEBUG data records containing 55 bytes

Number of modules extracted explicitly = 1
 with 2 extracted to resolve undefined symbols

2 library searches were for symbols not in the library searched

A total of 0 global symbol table records was written

LINK/USERLIB=PROC/NOTRACE/EXE=EXE\$:STOPREM/MAP=MAP\$:STOPREM/FULL/CROSS LIB\$:REM/INCLUDE=STOPREM,EXSM:SYS.STB/SELECTIVE

0312 AH-BT13A-SE
VAX/VMS V4.0

DIGITAL EQUIPMENT CORPORATION
CONFIDENTIAL AND PROPRIETARY